Printing date 06.10.2015 Revision: 06.10.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Bullfrog 96496 Coolant Additive

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Corrosion inhibitors
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Cortec Corporation

4119 White Bear Parkway St. Paul, MN 55110 USA Phone (651) 429-1100

Fax (651) 429-1122

- · Information department: regulatory@cortecvci.com
- · 1.4 Emergency telephone number:

Spill, Leak, Fire, Exposure, or Accident

24 hour CHEMTREC contact: USA and Canada 1-800-424-9300

International +1-703-527-3887 (collect calls accepted)

UK +(44)-870-8200418

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

Printing date 06.10.2015 Revision: 06.10.2015

Trade name: Bullfrog 96496 Coolant Additive

(Contd. of page 1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Ingredients:				
	r-r	2.5-10%		
	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335			
CAS: 7631-95-0	Sodium molybdate	≤ 2.5%		
EINECS: 231-551-7	♦ Skin Irrit. 2, H315; STOT SE 3, H335			
	Tolyltriazole, sodium salt	≤ 2.5%		
EINECS: 265-004-9	♦ Acute Tox. 4, H302			

· Additional information For the wording of the listed risk phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

#### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures





Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: Do not allow undiluted product to enter sewers/surface or ground water
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 06.10.2015 Revision: 06.10.2015

Trade name: Bullfrog 96496 Coolant Additive

See Section 13 for disposal information.

(Contd. of page 2)

#### **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- ·Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Do not store together with acids.

Store away from foodstuffs.

- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:

Rubber gloves

Protective gloves.

I.E., Nitrile, Viton, Neoprene

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eve protection: Goggles recommended during refilling.
- · **Body protection:** Protective work clothing.

### **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Colour: Amber coloured
Odour: Characteristic
Odour threshold: Not determined.

(Contd. on page 4)

Printing date 06.10.2015 Revision: 06.10.2015

Trade name: Bullfrog 96496 Coolant Additive

	(Contd. of page 3
· pH-value at 20 °C:	9.1-9.6 (Neat)
· Change in condition	
Melting point/Melting range:	undetermined
<b>Boiling point/Boiling range:</b>	undetermined
· Flash point:	Not applicable
· Flammability (solid, gaseous)	Not applicable.
· Ignition temperature:	305 °C
· Decomposition temperature:	Not determined.
· Self igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	1.12-1.15 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible
· Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
· 9.2 Other information	The above data are typical values and do not constitute a specification.

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity Reacts with acids.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Acids
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation

Repeated or prolonged skin contact with this product may produce skin irritation.

Causes skin irritation.

(Contd. on page 5)

(Contd. of page 4)

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.10.2015 Revision: 06.10.2015

Trade name: Bullfrog 96496 Coolant Additive

mage/irritation

 $\cdot \ Serious \ eye \ damage/irritation$ 

May be irritating.

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB**: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

### **SECTION 14: Transport information**

· 14.1 UN-Number · ADR

Not applicable

Void

· ADN, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, ÎATA Void

(Contd. on page 6)

Printing date 06.10.2015 Revision: 06.10.2015

Trade name: Bullfrog 96496 Coolant Additive

		(Contd. of page :
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann	nex II of	
Marpol and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

**SECTION 15: Regulatory information** 

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Technical instructions (air):

Class	Share in %
Wasser	55.8
NK	5.6

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Cortec Corporation does not warranty any translation of this SDS not created by Cortec Corporation.

· Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity, Hazard Category 4

(Contd. on page 7)

Printing date 06.10.2015 Revision: 06.10.2015

Trade name: Bullfrog 96496 Coolant Additive

(Contd. of page 6)

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

\* Data compared to the previous version altered.